EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	(@ad< "20030530").ad. and (linger same time) and (rout $6) and (RFID) and (cart basket) and (location or aisle or shelf or shelves) and (PDA or phone or telephone or cellular) and (supermarket or store)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:12
L3	0	(@ad< "20030530").ad. and (linger and time) and (rout $6) and (RFID) and (cart basket) and (location or aisle or shelf or shelves) and (PDA or phone or telephone or cellular) and (supermarket or store)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:12
L4	0	(@ad< "20030530").ad. and (linger$5 and time) and (rout $6) and (RFID) and (cart basket) and (location or aisle or shelf or shelves)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:13
L5	3698	(@ad< "20030530").ad. and (linger$5 and time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:13
L6	0	(@ad< "20030530").ad. and (linger$5 and time) and (rout $6) and (RFID) and (cart basket)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:14
L7	0	(@ad< "20030530").ad. and (linger$5 and time) and (RFID) and (cart basket)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:14
L8	15	(@ad< "20030314").ad. and (rout$6 and aisle and (shelf shelves) and cart) and pda and (voice spech vxml) and (inventory inventories)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:14

L9	15	(@ad< "20030314").ad. and (rout$6 and aisle and (shelf shelves) and (basket cart)) and pda and (voice spech vxml) and (inventory inventories)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:14
L10	5	(@ad< "20030314").ad. and (rout$6 and aisle and (shelf shelves) and (basket cart)) and pda and (voice spech vxml) and (inventory inventories) and rfid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:14
L11	1	(@ad< "20030314").ad. and (rout$6 and aisle and (shelf shelves) and (basket cart)) and pda and (voice spech vxml) and (inventory inventories) and rfid and recommend	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:15
L12	4	(@ad< "20030314").ad. and (rout$6 and aisle and (shelf shelves) and (basket cart)) and pda and (voice spech vxml) and (inventory inventories) and rfid and (recommend$ suggest$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:16
L13	4	(@ad< "20030314").ad. and (rout$6 and aisle and (shelf shelves) and (basket cart)) and (pda or cellular or phone or device) and (voice spech vxml) and (inventory product inventories) and rfid and (recommend$ suggest $5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:17
L14	3754	(@ad< "20030530").ad. and (linger$5 and time) (rout$6 and aisle and (shelf shelves) and (basket cart)) and (pda or cellular or phone or device) and (voice spech vxml) and (inventory product inventories) and rfid and (recommend$ suggest $5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:17

L15	0	(@ad< "20030530").ad. and (linger$5 and time) and (rout $6 and aisle and (shelf shelves) and (basket cart)) and (pda or cellular or phone or device) and (voice spech vxml) and (inventory product inventories) and rfid and (recommend$ suggest $5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:17
L16	1244	(@ad< "20030530").ad. and (linger$5 same time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:17
L17	644	(@ad< "20030530").ad. and (linger$5 with time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:18
L18	703	(@ad< "20030530").ad. and (linger$5 with (duration length time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:18
L19	0	(@ad< "20030530").ad. and (linger$5 with (duration length time)) and (rout$6 and aisle and (shelf shelves) and (basket cart)) and (pda or cellular or phone or device) and (voice spech vxml) and (inventory product inventories) and rfid and (recommend$ suggest $5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:18
L20	0	(@ad< "20030530").ad. and (linger$5 with (duration length time)) and (rout$6 and (basket cart)) and (pda or cellular or phone or device) and (voice spech vxml) and (inventory product inventories) and rfid and (recommend$ suggest $5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:18

L21	0	(@ad< "20030530").ad. and (linger$5 with (duration length time)) and (rout$6) and (pda or cellular or phone or device) and (voice spech vxml) and (inventory product inventories) and rfid and (recommend$ suggest $5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:18
L22	0	(@ad< "20030530").ad. and (linger$5 with (duration length time)) and (rout$6) and (pda or cellular or phone or device) and (inventory product inventories) and rfid and (recommend$ suggest$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:18
L23	168	(@ad< "20030530").ad. and (linger$5 with (duration length time)) and (rout$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:19
L24	0	(@ad< "20030530").ad. and (linger$5 with (duration length time)) and (rout$6) and RFID	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:19
L25	0	(@ad< "20030530").ad. and (linger$5 with (duration length time)) and (rout$6) and RF$ID	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:19
L26	0	(@ad< "20030530").ad. and (linger$5 with (duration length time)) and RF$ID	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:19
L27	0	(@ad< "20030530").ad. and (linger$5 with (duration length time)) and RFID	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:19
L28	5871	(@ad< "20030530").ad. and RFID	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:19

L29	750	(@ad< "20030530").ad. and (RFID or tag) and (pda or cellular or phone or device) and (inventory product inventories) and rfid and (recommend$ suggest$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:20
L30	34880	(@ad< "20030530").ad. and (RFID or tag) and (pda or cellular or phone or device) and (inventory product inventories) and (recommend$ suggest$5) and (recommend$6 suggest$6 advertis$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:20
L31	37856	(@ad< "20030530").ad. and (RFID or tag) and (pda or cellular or phone or device) and (inventory product inventories) and (recommend$6 suggest$6 advertis$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:20
L32	34881	(@ad< "20030530").ad. and (RFID or tag) and (pda or cellular or phone or device) and (inventory product inventories) and (recommend$ suggest$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:21
L33	28415	(@ad< "20030530").ad. and (RFID or tag) and (pda or cellular or phone or device) and (inventory product inventories) and (recommend$ suggest$5) and (rout$6 path)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:21
L34	10980	(@ad< "20030530").ad. and (RFID or tag) and (pda or cellular or phone or device) and (inventory product inventories) and (recommend$ suggest$5) and (rout$6 path) same (calculat$6 show $6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:21
L35	10980	(@ad< "20030530").ad. and (RFID or tag) and (pda or cellular or phone or device) and (inventory product inventories) and (recommend$ suggest$5) and ((rout$6 path) same (calculat$6 show $6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:22

L36	4807	(@ad< "20030530").ad. and ((RFID or tag) same (pda or cellular or phone or device)) and (inventory product inventories) and (recommend $ suggest$5) and ((rout$6 path) same (calculat$6 show $6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:22
L37	310	(@ad< "20030530").ad. and ((RFID or tag) same (pda or cellular or phone or device)) and (inventory product inventories) and (recommend $ suggest$5) and ((rout$6 path) same (calculat$6 show $6)) and RFID	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:22
L38	223	(@ad< "20030530").ad. and ((RFID or tag) same (pda or cellular or phone or device)) and (inventory product inventories) and (recommend $ suggest$5) and ((rout$6 path) same (calculat$6 show $6)) and (RFID same tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:23
L39	373	(@ad< "20030530").ad. and ((RFID or tag) same (pda or cellular or phone or device)) and (inventory product inventories) and (recommend $ suggest$5) and ((rout$6 direct$8 path) same (calculat $6 show$6)) and (RFID same tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:23
L40	445	(@ad< "20030530").ad. and ((RFID or tag) same (pda or cellular or phone or device)) and (((inventory product inventories) and (recommend $ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat$6 show$6)) and (RFID same tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:23
L41	141	(@ad< "20030530").ad. and ((RFID or tag) same (pda or cellular or phone or device)) and ((inventory product inventories) same (recommend$ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat $6 show$6)) and (RFID same tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:23

L42	137	(@ad< "20030530").ad. and ((RFID or tag) same (pda or cellular or phone or device)) and ((inventory product inventories) same (recommend$ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat$6 show$6)) and (RFID with tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:24
L43	111	(@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or device)) and ((inventory product inventories) same (recommend$ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat$6 show$6)) and (RFID with tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:24
L44	36	(@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable)) and ((inventory product inventories) same (recommend$ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat$6 show$6)) and (RFID with tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:25
L45	6	(@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable)) and ((inventory product inventories) same (recommend$ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat$6 show$6)) and (RFID with tag) and route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:26
L46	69	("6129276" "7062454"). urpn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:27

L47	0	("6129276" "7062454"). urpn. and ((RFID with tag) same (pda or cellular or phone or portable)) and (((inventory product inventories) same (recommend$ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat $6 show$6)) and (RFID with tag) and route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:27
L48	4	(@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable)) and ((inventory product inventories) same (recommend$ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat $6 show$6)) and (RFID with tag) and route and voice	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:28
L49	0	(@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable)) and ((inventory product inventories) same (recommend$ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat $6 show$6)) and (RFID with tag) and route and voice and linger	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:36
L52	19	(@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable)) and ((inventory product inventories) same (recommend$ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat $6 show$6)) and (RFID with tag)	USPAT	OR	ON	2009/08/02 16:37
L53	36	(@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable)) and ((inventory product inventories) same (recommend$ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat $6 show$6)) and (RFID with tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:37

L54	0	(@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable)) and ((inventory product inventories) same (recommend$ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat $6 show$6)) and (RFID with tag) and linger	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:37
L55	0	(@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable)) and ((inventory product inventories) same (recommend$ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat $6 show$6)) and (RFID with tag) and linger	USPAT	OR	ON	2009/08/02 16:37
L56	0	(@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable)) and ((inventory product inventories) same (recommend$ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat $6 show$6)) and (RFID with tag) and linger	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:38

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L50	0	(@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable)) and ((inventory product inventories) same (recommend $ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat$6 show$6)) and (RFID with tag) and route and voice and linger	USPAT; UPAD	OR	ON	2009/08/02 16:36
L51	20	(@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable)) and ((inventory product inventories) same (recommend $ suggest$5 advertis$9)) and ((rout$6 direct$8 path) same (calculat$6 show$6)) and (RFID with tag)	USPAT; UPAD	OR	ON	2009/08/02 16:36

8/ 2/ 2009 4:42:49 PM
C:\ Documents and Settings\ jzurita\ My Documents\ EAST\ Workspaces\ 10_743348_VXML.wsp